

**Medtronic**RECEIVED
CENTRAL FAX CENTER

SEP 2 2004

Facsimile Cover Sheet

P-8796.00

To: Examiner Schaetzle
Company: U.S. Patent and Trademark Office
Phone:
Fax: 703 872 9306

From: Paul H. McDowall
Company:  Medtronic
Phone: 763 514 3351
Fax: 763 505 2530

Date: September 2, 2004

**Pages including this
cover page:** 11

Comments: RE: P-8796.00
Serial No. 10/040,120
Applicants: Cho et al.
Filed: December 31, 2001
Title: AUTOMATIC RATE RESPONSE SENSOR MODE SWITCH

Attached please find the following documents:

Amendment
 Transmittal

IF TELECOPY IS ILLEGIBLE OR ALL PAGES HAVE NOT BEEN RECEIVED, PLEASE CONTACT MOLLY CHLEBECK AT TELEPHONE (763) 514-3118 IMMEDIATELY.

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS ATTORNEY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ON THIS TRANSMITTAL FORM. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS LISTED ABOVE VIA THE U.S. POSTAL SERVICE. THANK YOU.

DOCKET NO.: P-8796.00

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
AMENDMENT TRANSMITTAL

In re Application of: Yong K. Cho et al.
For: AUTOMATIC RATE RESPONSE SENSOR MODE SWITCH
Serial No.: 10/040,120
Filed: December 31, 2001

CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that this Amendment and Transmittal and the paper(s), as described herein are being sent to teletelfacsimile No. (703) 872 9306, MAIL STOP AMENDMENT, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 2nd day of September, 2004.

Molly Chlebeck
Signature
MOLLY CHLEBECK
Printed Name

MAIL STOP AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

X AMENDMENT

Applicant hereby petitions for months' extension of time. If an additional extension of time is required, please consider this petition therefor.

Please charge Deposit Account No. 13-2546 in the amount of \$_____ for the one-month extension fee.

Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Amendment Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.

Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

Date

2 Sept 04


Paul H. McDowell, Reg. No. 34,873
Telephone: (763) 514-3351
Customer No. 27581

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Yong K. Cho et al.) Art Unit: 3736
Serial No.: 10/040,120) Examiner: K. Schaetzle
Filed: December 31, 2001) Docket No. P-8796.00
For: AUTOMATIC RATE RESPONSE SENSOR MODE SWITCH

AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RECEIVED
CENTRAL FAX CENTER
SEP 02 2004

Dear Sir:

The following is in response to the non-final Office Action mailed 2 June 2004, having a three-month statutory period for reply set to expire on 2 September 2004. The following amendments and remarks are respectfully submitted in advance of the expiration of said period.

Please amend the above-identified application as follows.